





**Картограмма нагрузки**

СТТ 71 / А -2.5													
		м	5	12	15	20	25	30	35	40	45	50	
													
2.5 т	-	22.9 м	Т	2.5	2.5	2.5	2.5	2.27	1.84	1.54	1.31	1.14	1.00
2.5 т	-	22.5 м	Т	2.5	2.5	2.5	2.5	2.5	2.08	1.75	1.49	1.30	
2.5 т	-	29.9 м	Т	2.5	2.5	2.5	2.5	2.5	2.5	2.1	1.80		
2.5 т	-	32.5 м	Т	2.5	2.5	2.5	2.5	2.5	2.5	2.3			
2.5 т		30 м	Т	2.5	2.5	2.5	2.5	2.5	2.5				
2.5 т		25 м	Т	2.5	2.5	2.5	2.5	2.5					






**Другие конфигурации**





**Башня**

Доступны длины секций башни TS: 11.8 м, 5.9 м и 2.95 м


**TS12**
















**Механизмы**

			
	11 APC 25 15 AFC 25	27 кВА* 38 кВА*	400 В – 50 Гц 400 В – 50 Гц / 460 В – 60 Гц
			2000/14/CE

\* Кран без оборудования для перевозки

			м/мин	т	кВт	
	<b>11 APC 25</b>		6	2.5	11	186 м
			20	2.5		
			40	1.25		
	<b>15 AFC 25 (VARIANT)</b>		0 ⇌ 1.7	2.5	15	
			1.7 ⇌ 6	2.5		
			6 ⇌ 28	2.5		
			28 ⇌ 46	1.44		
			46 ⇌ 57	1.1		

		400 В – 50 Гц	
	<b>DAD 2 2 D1</b>	0 – 22 – 44 м/мин	2.2 – 1.5 кВт
	<b>DVF 3 4 D5 (Variant)</b>	0 ⇌ 6 ⇌ 30 ⇌ 60 м/мин	4 кВт
	<b>SSR 1 1 65</b>	0 ⇌ 0.76 об/мин	1 x 65 Нм
	<b>TAD 1 RP 2 M3</b>	0 – 24 м/мин	2 x 3 кВт
			

-  Подъем
-  Перемещение
-  Поворот
-  Передвижение
-  Указания по уровню шума
-  Проконсультируйтесь с нами
-  Потребляемая мощность
-  Источник питания

Gru Comedil s.r.l.

A Terex Company



Via S. Egidio 42/A, 33074 Fontanafredda (PN) - Italy  
Tel. (+39) 0434 567 311 - Telefax (+39) 0434 998631

Internet e-mail: info@comedil.com  
Internet home page: www.comedil.com

Divisione Automontanti

Via Alessandrina, 25 - 20095 Cusano Milanino (MI) - Italy  
Tel. (+39) 02 613 16011 - Telefax (+39) 02 613 16034

Internet e-mail: info.CBR@comedil.com